

SEP 24 1981

OCT 20 1981 WCD

1. COUNTY Crawford CHECK (✓) ONE:  Town  Village  City Name Daney

2. LOCATION SW S<sup>1</sup>/<sub>2</sub> Section 23 Township 9N Range 4W 3. NAME  OWNER  AGENT AT TIME OF DRILLING CHECK (✓) ONE Bruno Buehler

OR - Grid or Street No. Street or Road Name ADDRESS 8048 N. Knox

AND - If available subdivision name, lot & block No. POST OFFICE Skokie, Ill. ZIP CODE 60076

4. Distance in feet from well to nearest: (Record answer in appropriate block)

Building	Sanitary Bldg. Drain	Sanitary Bldg. Sewer	Floor Drain Connected To:	Storm Bldg. Drain	Storm Bldg. Sewer
	C.I. Other	C.I. Other	C.I. Sewer Other Sewer	C.I. Other	C.I. Other

Street Sewer  Other Sewers  Foundation Drain Connected to: N/A Sewage Sump  Clearwater Sump  Septic Tank  Holding Tank  Sewage Absorption Unit  Manure Hopper or Reservoir or Pneumatic Tank

San. Storm C.I. Other Sewer Sewage Sump Clearwater Dr. Clearwater Sump Seepage Pit Seepage Bed Seepage Trench

Privy  Pet Waste Pit  Pit: Nonconforming Existing  Well Pump Tank  Subsurface Pumproom  Nonconforming Existing  Barn Gutter  Animal Barn Pen  Animal Yard  Silo With Pit  Glass Lined Storage Facility  Silo w/o Pit  Earthen Silage Storage Trench Or Pit  Earthen Manure Basin

Temporary Manure Stack or Platform  Watertight Liquid Manure Tank or Basin  Manure Pressure Pipe  Subsurface Gasoline or Oil Tank  Waste Pond or Land Disposal Unit (Specify Type) N/A Manure Storage Basin  Concrete Floor Only  Concrete Floor and Partial Concrete Walls  Other (Describe) →

5. Well is intended to supply water for: Camper trailer

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	9. FORMATIONS	Kind	From (ft.)	To (ft.)
10	Surface	93	6	93	140	loose limestone	Surface	0	49
						shalestone		49	68
						sandstone		68	83
						shalestone (hard)		83	98
						limestone		98	112
						hard shalestone		112	140

7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification	Mfg. & Method of Assembly	From (ft.)	To (ft.)
6"	A-53 P.E.	18.97"/ft.	Surface	93
		pitless adapter		
		Kent Steel		

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
clay	Surface	8
cement	8	93

10. TYPE OF DRILLING MACHINE USED

Cable Tool  Rotary-air w/drilling mud  Rotary-w/drilling mud  Rotary-hammer w/drilling mud & air  Reverse Rotary  Jetting with  Air  Water

Well construction completed on 6-12-1981

11. MISCELLANEOUS DATA

Yield Test: 2 Hrs. at 8 GPM Well is terminated 18 inches  above final grade  below

Depth from surface to normal water level 90 Ft. Well disinfected upon completion  Yes  No

Depth of water level when pumping 95 Ft. Stabilized  Yes  No Well sealed watertight upon completion  Yes  No

Water sample sent to Madison laboratory on 9-21-1981

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Kenneth Corpiam Registered Well Driller Business Name and Complete Mailing Address Kenneth Corpiam & Sons, Inc Rt. 2 Box 4 Boscobel, WI 53805

106