State of Wisconsin Department of Natural Resources Box 7921

NOTE:

- Division's Copy White Copy Green Copy Driller's Copy

WELL CONSTRUCTOR'S REPORT Form 3300-15

Rev. 12-76

Madison, Wisconsin 53707 Yellow Copy Owner's Copy 1. COUNTY CHECK (V) ONE: Name X Town Village Citv OWNER MAGENT AT TIME OF DRILLING CHECK (7) ONE ¼ Section∠ 3. NAME Township Section Range 2. LOCATION ADDRESS. Grid or Street No. OR Street Name AND - If available subdivision name, lot & block No. POST OFFICE Floor Drain Connected To: 4. Distance in feet from well Building Sanitary Bldg, Drain Sanitary Bldg. Sewer Storm Bldg, Drain Storm Bldg, Sewer to nearest: (Record C.I. Other C.I. Other C.I. Sewer Other Sewer C.I. Other Ç.I. Other answer in appropriate block) Street Sewer Other Sewers Foundation Drain Connected to Septic Sewage Sump Clearwater Holding | Sewage Absorption Unit Sump Tank Tank Sewage C.I. Other Seepage Pit San. Storm C.I. Other Sewer Sump 60 Seepage Bed Clearwater Çlearwater Sump Dr. Seepage Trench Pit: Nonconforming Existing Privy Pet Subsurface Pumproom Barn Animal Animal Glass Lined | Silo Earthen Silage Sito Storage Trench Or Pit Waste With Pit Storage Gutter Barn Yard w/o Pit Well Nonconforming Existing Pit Facility Pen Pump Tank Watertight Solid Manure Subsurface Other (Give Description) Temporary Waste Pond or Land Storage Manure Liquid Manure Disposal Unit Gasoline or Structure Stack Tank Oil Tank (Specify Type) 5. Well is intended to supply water for: PÖRMATIONS To (ft.) Kind From (ft.) 6. DRILLHOLE Dia. (in.) From (tt.) To (ft.) Dia. (in.) From (ft.) To (ft.) Surface Surface 7. CASING, LINER, CURBING AND SCREEN Material, Weight, Specification To (ft.) & Method of Assembly From (ft Dia. (in.) 6 Sucrace 10. TYPE OF DRILLING MACHINE USED Rotary-hammer w/drilling Cable Tool mud & air Jetting with 8. GROUT OR OTHER SEALING MATERIAL Rotary-air Rotary-hammer From (ft.) To (ft.) Air Kind w/drilling mud Water Surface Rotary-w/drilling mud Reverse Rotary Well construction completed on NEOUS DATA above final grade below Well is terminated inches Yield Test: Well disinfected upon completion Depth from surface to normal water level Depth of water level 5/0 Ft. Stabilized Yes I No Well sealed watertight upon completion when pumping Water sample sent to laboratory on Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side. Complete Mail Address Signature Boacobal, Wil 53805

Registered Well Driller