

SEP 21 1971

WELL CONSTRUCTOR'S REPORT  
FORM 3300-15

STATE OF WISCONSIN  
DEPARTMENT OF NATURAL RESOURCES  
Box 450  
Madison, Wisconsin 53701

**NOTE**  
WHITE COPY - DIVISION'S COPY  
GREEN COPY - DRILLER'S COPY  
YELLOW COPY - OWNER'S COPY

1. COUNTY: Crawford  
CHECK ONE:  Town  Village  City  
NAME: Praire Du Chien

2. LOCATION - 1/4 Section: NE 1/4, NW 1/4  
Section: 8, Township: 6N, Range: 7E W  
3. OWNER AT TIME OF DRILLING: Elaine Kramer

OR - Grid or street no. Street name: Country Court Trailer Park

AND - If available subdivision name, lot & block no. POST OFFICE: Praire Du Chien, Wisc.

4. Distance in feet from well to nearest:  
(Record answer in appropriate block)

BUILDING	SANITARY SEWER C.I.	TILE	FLOOR DRAIN C.I.	TILE	FOUNDATION DRAIN SEWER CONNECTED	INDEPENDENT	WASTE WATER DRAIN C.I.	TILE
36	70		None		None		70	

CLEAR WATER DRAIN C.I.	TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
None		186	None	None	235	150	None	None	None

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)  
None

5. Well is intended to supply water for:  
Mobile Home Court

6. DRILLHOLE						9. FORMATIONS		
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind	From (ft.)	To (ft.)
6	Surface	150				Fine Sand	Surface	60
						Black Mud	60	84

7. CASING, LINER, CURBING, AND SCREEN				9. FORMATIONS		
Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)	Kind	From (ft.)	To (ft.)
6	Steel B.E. 18.97	Surface	94 1/2	Coarse Sand & Gravel	84	90
				Gray Limestone	90	150

8. GROUT OR OTHER SEALING MATERIAL			10. TYPE OF DRILLING MACHINE USED		
Kind	From (ft.)	To (ft.)			
Drive Shoe	Surface	94 1/2	<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary	<input type="checkbox"/> Reverse Rotary
			<input type="checkbox"/> Rotary - air w/drilling mud	<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with Air <input type="checkbox"/> Water

11. MISCELLANEOUS DATA				10. TYPE OF DRILLING MACHINE USED	
Yield test:	10	Hrs. at	24	GPM	
Depth from surface to normal water level	40	ft.			Well is terminated 22 inches <input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade
Depth to water level when pumping	130	ft.			Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
					Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Water sample sent to State Lab. Of Hygiene, Madison laboratory on: 9-13 1971

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE: Duane Lubbers Duane Lubbers #W.D. 410 Registered Well Driller	COMPLETE MAIL ADDRESS: Duane Lubbers Farmersburg, Iowa 52047
---	---

Please do not write in space below

COLIFORM TEST RESULT: 289 REV. 3-71	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS
--	---------------	---------------	-----------	---------