State of Wisconsin Department of Natural Resources Box 7921

Madison, Wisconsin 53707

JUL 1 9 1977

NOTE:

WELL CONSTRUCTOR'S REPORT Form 3300-15 Rev. 12-76

White Copy — Division's Copy Green Copy — Driller's Copy Yellow Copy — Owner's Copy

2. DOCATION Section Tournal Range S. NAME CHONNER Jack AT TABLE OF DEFLING CHECK IA DIN OR - Grid or Street No. Street Name AND Cavallable salidivision name, bot & block No. POST DEFICE Law Classes Storm Blogs, Joan Stor	1. COUNTY CZ	word	CHECK (V		/illage	Г	☐ City	Nam		A 3		Cai
AND — If available subdivision asize, lot & block No. AND — If available subdivision asize, lot & block No. AND — If available subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance in feet from well because of the subdivision asize, lot & block No. Distance	1/4 Sect		Township	Range	3. N	IAME C		IER 🗆 A				CHECK (4) ONE
Distance in feet from well guiding Sentiary Blog. Service C.1. Other C.1. Oth		et No. Street Name		6 W		DDRESS	<u> De</u>	برير	4-	Lee	lliv	an
Substance in feet from well to nexter: Record to						DUKLOU	R	7 E	y			
Shiften in fact from well Southern Sou	AND – If available s	subdivision name, lot	& block No.		P	OST OF	FICE	4	1. (30.	LIW	11528
Street Stewer Coundation Drain Connected to Sewage Drain Sew	4. Distance in feet from v	well Building S	anitary Bldg, D	rain Sanītar	ry Bldg.	Sewer	AVL FI	loor Drai	<u> </u>	Storm B		
Steel Sever Clies Severs Foundation Drain Connected to Severs Clies where Severs Clies Cli	answer in appropriate	1.5	C.I. 0	ther C.I.	<u> </u>	Other				C.I.	Other	<u> </u>
Prity Det State Summarian	Street Sewer Other S	Sewers Foundation						ptic Ho	lding Se	ewage Abso	orption Unit	100
Price Pits Nonconforming Existing Subsurface Pumpororm Barro	San. Storm C.I. O	Clearwater	Sump Clearwater	!!!!!	otn e r	34111	ļ	*	, ≥€		-	
Prince P							Animal	Silo	Glass L	ined Silo		lage
Temporary Called Manure Substrates Substrates Substrates Structure	Pit Well		Nonconform	ing Existing	Gutter		Yard	With Pi			Storage Tr	ench Or
Well is intended to supply water for: Distriction Distriction Disposal Orthogonal Property Distriction	Temporary Watertight	Solid Manure	1 1	Waste Pond or I	Land	Other (G	ive Desc	ription)				····
DRILLINGIE Dia. (in.) From (it.) To (it.) Dia. (in.) From (it.) To (it.) Clay & loose stone surface 0 4 0 Surface 65 & 65 100 link estone 40 10 CASING, LINER, CURBING AND SCREEN Material, Weight, Specification Bia. (in.) & Method of Assembly Prom (it.) To (it.) CROUT OR OTHER SEALING MATERIAL Kind From (it.) To (it.) Clay & loose stone Surface 0 4 0 P. F. 13.91 Surface 65 CROUT OR OTHER SEALING MATERIAL Kind From (it.) To (it.) Clay & loose stone Surface 10 Casing Total Total Prom (it.) To (it.) Cable Tool Rotary-harmore Maderial Prom (it.) To (it.) Rotary-signad Rotary-harmore Air Water Surface 7 Surface 8 Sur		Structure				•		,				
DRILLINGIE Dia. (in.) From (it.) To (it.) Dia. (in.) From (it.) To (it.) Clay & loose stone surface 0 4 0 Surface 65 & 65 100 link estone 40 10 CASING, LINER, CURBING AND SCREEN Material, Weight, Specification Bia. (in.) & Method of Assembly Prom (it.) To (it.) CROUT OR OTHER SEALING MATERIAL Kind From (it.) To (it.) Clay & loose stone Surface 0 4 0 P. F. 13.91 Surface 65 CROUT OR OTHER SEALING MATERIAL Kind From (it.) To (it.) Clay & loose stone Surface 10 Casing Total Total Prom (it.) To (it.) Cable Tool Rotary-harmore Maderial Prom (it.) To (it.) Rotary-signad Rotary-harmore Air Water Surface 7 Surface 8 Sur	. Well is intended to supp	ply water for:	<u> </u>	<u> </u>	9. 1	FORMAT	IONS				· <u>.</u>	
Dia. (in.) From (tt.) To (ft.) Dia. (in.) From (ft.) To (ft.) Surface 65 6 65 6 65 100	·		rtry 7	rome				Kind			From (ft.)	To (ft.)
CASING, LINER, CURBING AND SCREEN Dia. (in.) Material, Weight, Specification Whethed of Assembly From (ft.) To (ft.) CROUT OR OTHER SEALING MATERIAL Kind Fom (ft.) To (ft.) CROUT OR OTHER SEALING MATERIAL Kind Fom (ft.) To (ft.) CROUT OR OTHER SEALING MATERIAL CROUT OR OTHER SEALING MATERIAL Kind Fom (ft.) To (ft.) Cable Tool Rotary-air Wydrilling mud Rotary-hammer Wydrilling mud Rotary-hammer Water Rotary-widrilling Reverse Rotary Water Water MISCELLANEOUS DATA Yield Iest: Depth from surface to normal water level Depth from surface to normal water level Depth of water level when pumping To Ft. Stabilized Yes No Well is terminated Well disinfected upon completion Well salor valor upon completion Well is above to normal water level Water sample sent to Mater sample sent to sent the sample sent to Mater sample sent to sent the samp	•	o (ft.) Dia. (in.)	From (ft.)	To (ft)	10	0	لي ر	Pan	7 0-	Atan	. 0	40
CASING LINER, CURBING AND SCREEN Material, Weight, Specification Dia. (in.) Method of Assembly From (ft.) To (ft.) To (ft.) To (ft.) CROUT OR OTHER SEALING MATERIAL Kind From (ft.) From (ft.) From (ft.) To (ft.) To (ft.) To (ft.) To (ft.) To (ft.) To (ft.) Fotany-air Widerling mud Rotany-hammer Material, Weight, Specification Material, Weight, Specification Material, Weight, Specification Rotany-hammer Material, Weight, Specification Rotany-hammer Material, Weight, Specification Rotany-hammer Material, Weight, Specification Material, Weigh	1- 0		1 ~			11/	7	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~)	مارصري	Surface	
CASING, LINER, CURBING AND SCREEN Dia. (in.) & Method of Assembly Prom (ft.) To (ft.) Calley Stage Surface 65 Calley Stage 10. TYPE OF DRILLING MACHINE USED Rotary-hammer Widerling mud & air Widerling mud & air Rotary-hammer Stage Rotary-hammer	Surface	05 Q	<u> </u>	700	'	lix	no	sli	آرده	مي٥	40) /0(
Dia. (III.) & Method of Assembly From (ft.) To (ft.) R. F. 18.97 Surface 65 Valley State 10. TYPE OF DRILLING MACHINE USED CROUT OR OTHER SEALING MATERIAL Cable Tool Method & air Modifiling Modeling					l				ر ا این			
Dia. (III.) & Method of Assembly From (ft.) To (ft.) R. F. 18.97 Surface 65 Valley State 10. TYPE OF DRILLING MACHINE USED CROUT OR OTHER SEALING MATERIAL Cable Tool Method & air Modifiling Modeling	CASING, LINER, CUR Material, Weig	BING AND SCREEN the Specification	V	·!	1		. 70	e de la companya de l				-
Cable Cabl	Dia. (in.) & Method	of Assembly	From (ft.)	To (ft.)	-		E-Parting and a second a second and a second				_	
GROUT OR OTHER SEALING MATERIAL Kind From (ft.) Surface To (ft.) GROTY-hammer Widrilling mud & air Rotary-air Widrilling mud & air Rotary-hammer Widrilling mud & air Rotary-hammer Widrilling mud & air Water Rotary-hammer Air Water Water Water Water To (ft.) Well construction completed on C - 29 - 19 7 Miscellaneous Data Yield Test: Hrs. at Surface To Ft. Well disinfected upon completion Well is terminated To Ft. Well disinfected upon completion Water sample sent to Water sample sent to Mater sample sent to Mater pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of mishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.	G P.E.	8.97	_	65		A STATE OF THE STA						
GROUT OR OTHER SEALING MATERIAL Kind From (ft.) Surface To (ft.) GROUT-y-ir wydrilling mud & air Rotary-air wydrilling mud & air Rotary-ir mud & air Water Surface Well construction completed on A completed o	A -	53			AND THE PROPERTY OF THE PROPER			_		<u></u>		
GROUT OR OTHER SEALING MATERIAL Kind From (ft.) Surface To (ft.) GROUT-y-ir wydrilling mud & air Rotary-air wydrilling mud & air Rotary-ir mud & air Water Surface Well construction completed on A completed o	17.00	2.0)	acres res	1						<u>-</u>	
GROUT OR OTHER SEALING MATERIAL Kind From (ft.) Surface To (ft.) GROUT-y-ir wydrilling mud & air Rotary-air wydrilling mud & air Rotary-ir mud & air Water Surface Well construction completed on A completed o	Datey	رفعامر	<u>_</u>							<u>. </u>		
GROUT OR OTHER SEALING MATERIAL Kind From (ft.) Surface Rotary-mammer Widerlling mud & air Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Rotary-hammer Water Air Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Water Rotary-hammer Ro	Villes	2 ado	ptor							ì		
GROUT OR OTHER SEALING MATERIAL Kind From (ft.) Gode Tool Rotary-air Widrilling mud Reverse Rotary Water Reverse Rotary Well construction completed on Pepth from surface to normal water level Depth of water level Water Stabilized Yes No Well sealed watertight upon completion Water sample sent to Water sample sent to Material Stabilized Material Stabilized Material Stabilized Well sealed watertight upon completion Water sample sent to Material Stabilized Material S					10.	TYPE OF	DRILL	ING MA			· .	
Water Wate	GROUT OR OTHER SI	EALING MATERIAI	L /		-	☐ Cabi	e Tool		¬ w/drií	ling		Jetting with
Surface Reverse Rotary Reverse Rotar	Kind		From (ft.)	To (ft.)	4	Rota W/dri	ry-air illing mu	ıa 🗶	Rotar:	y-hammer		⊒. Air
1. MISCELLANEOUS DATA Yield Test:	<u>@</u>	lass	O Surface	7		☐ Rota mud	ry-w/dri	lljing 🗀	- ☑ Rever:	se Rotary	1	Water
1. MISCELLANEOUS DATA Yield Test:	Ceme	- AV	7	6.5			<u> </u>		1-		20	77
Yield Test:	1. MISCELLANEOU	US DATA			Well	constructi	ion comp	pleted on		75(1	hove	19/
Depth of water level 173 Ft. Stabilized Yes No Well sealed watertight upon completion Yes No Water sample sent to laboratory on 7 - 12 - 19 77 Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of inishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.	Yield Test:		lrs. 2t	_ <u></u>	Well i	s termina	ted 1	0	inche		fina	l grade
Depth of water level when pumping 13 Ft. Stabilized X Yes I No Well sealed watertight upon completion Yes No Water sample sent to laboratory on 1 - 12 - 19 Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of inishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.	Depth from surface	to normal water leve	a	7 O Ft.	Well d	isinfected	l upon e	ompletio	n	[X]	Yes 🗀 No	
Water sample sent to	Depth of water leve					•	<u>-</u>		-		· -	· <u> </u>
inishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.	Water sample sent to	Me	1,0					•	17		12 -	19 77
	Your opinion concerning of inishing the well, amount	other pollution hazard of cement used in gre	is, information outing, blasting	concerning diff , etc., should be	ficulties e given (encounte on reverse	red, and side.	data rela	ating to	nearby well	s, screens, sea	ls, method of
Commeth Corpror Registered Well Driller R3 Box 84 53805	ignature				<u> </u>				7		00	7/
Registered Well Driller 15000	2 . Al	20	M	1,7 da m	R	3 B	6 V	84	100	raco r	7 Q	Mes
	Jerry IN	1 sopra	Registered	Well Driller	117	<i></i>	<u> </u>	0 1		<u>.</u>	000	13