WELL CONSTRUCTOR'S REPORT FORM 3300-15

STATE OF WISCONSIN DEPARTMENT OF NATURAL RESOURCES

Box 450

NOTE

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

Madison, Wisconsin 53701

1. COUNTY	Crai	vfor	d	CH Town	ECK ONE	Village	NAI] City	Bride	aska	zt
2. LOCATIO	ON - 1/4 S	-/ 			Range W	 -	TIME OF DRILL			
OR - Grid or			treet name		<u>V </u>	ADDRESS	RAD			
AND -I f available subdivision name, lot & block no.						POST OFFICE Prairie du Chian, His				
4. Distance in feet from well to nearest: BUILDING SANITARY SEWER C. I. TILE						. ,		ION DRAIN ED INDEPENDENT	WASTE WAT	TER DRAIN
(Record answer in appropriate block) 8 15							EWER CONVECTI	EDITOETT	15	TILE
CLEAR WAT	TILE	SEPTIC TAI	PRIVY S	EEPAGE PIT	ABSORPTION	70'	SILO ABAI	NDONED WELL S	INK HOLE	
OTHER POL	LUTION SOL	JRCES (Give	description su	ch as dump, q	uarry, drainage	well, stream, pond	l, lake, etc.)	I		
5. Well is in	ntended to s	upply wate	r for:	ount	the 1	2 / 200				
6. DRILLE	IOLE			000,00		9 FORMATI	ONS			
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind			From (ft.)	To (ft.)
10	Surface	52	6	52	180/		0	lay	Surface	3 o
						Pin	eston		30	120
7. CASING	, LINER, C	URBING,	AND SCREE	Ņ			ر بر م راست می در در در مولید از		10	180
Dia. (in.)	+	Cind and Wei		From (ft.)	To (4.)	san	dslon	ره	120	100
6	new	Mach	esteel 19.18	Surface	52					
	peace	<i>14.84</i> 140	17110	1						
	ļ				\$				1	
	}								1	
		•								
									<u> </u>	
				J.A.						
8. GROUT OR OTHER SEALING MATERIAL						10. TYPE OF DRILLING MACHINE USED				
	Kit	nd		From (ft.)	To (ft.)	Cable Tool Direct Rotary Reverse Rotary				se Rotary
Class				Surface	15	Rotary – air w/drilling mud With drilling mud & air			.l _ ` _	
15 5°								. 1	<u> </u>	Water
11 MICCE	Cen		<u>, </u>	/5	50	Well construct	ion completed o	on 4 - S	<u> </u>	19 73
11. MISCELLANEOUS DATA Yield test: 10 GPM						Well is terminated /2 inches X above below final grade				
Depth from surface to normal water level 140 ft.						Well disinfected upon completion Yes 🔲 No				
Depth to water level when pumping 14-8 ft.						Well sealed watertight upon completion Yes No				
Water samp	le sent to	2	nadi	3 4			laborator	y on: 5 ~ /	17-	19 <i>73</i>
Your opinio	on concernin						ountered, and da	ata relating to nea ce pumprooms, a	arby wells, sc	
	reverse side.			·						
SIGNATURE	. A		1			COMPLETÉ MA	AL ADDRESS	overk.	e. 2/2	 دصاء
Ken	neth	Corp	2001/R		II Driller	R3BOX	84	538	05	
COLIFORM	TEST RESUL		Tc			e in space belov - 48 HRS.	CONFIRMED	REMAR	KS	
428 REV. 3-71	ILDI REDUI	- -				- _ ,				