

DEC 16 1976

NOTE:  
White Copy - Division's Copy  
Green Copy - Driller's Copy  
Yellow Copy - Owner's Copy

1. COUNTY <u>Crawford</u>		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name <u>Eastman</u>	
2. LOCATION 1/4 Section <u>SE</u> Section <u>5</u> Township <u>8 N</u> Range <u>6 W</u>		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>Nerman Olsson</u>		ADDRESS <u>R 7 D / Lynnpville</u>	
OR - Grid or Street No. Street Name		POST OFFICE <u>Eastman, Wis. 54640</u>		AND - If available subdivision name, lot & block No.	
4. Distance in feet from well to nearest: (Record answer in appropriate block)		Building <u>15</u>		Sanitary Bldg. Drain C.I. Other	
San. Storm		Sanitary Bldg. Sewer C.I. Other		Floor Drain Connected To: C.I. Sewer Other Sewer	
Foundation Drain Connected to: Sewer Sewage Sump Clearwater Dr.		Clearwater Sump		Septic Tank <u>50'</u> Holding Tank	
Sewage Absorption Unit Seepage Pit Seepage Bed Seepage Trench		70'		Privy Pet Waste Pit	
Pit: Nonconforming Existing Well Pump Tank		Subsurface Pumproom Nonconforming Existing		Barn Gutter Animal Barn Pen Animal Yard Silo With Pit Glass Lined Storage Facility Silo w/o Pit Earthen Silage Storage Trench Or Pit	
Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure		Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type)		Other (Give Description)	
5. Well is intended to supply water for: <u>Trailer Home</u>		9. FORMATIONS			
6. DRILLHOLE		Kind		From (ft.)	To (ft.)
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>10</u>	<u>Surface</u>	<u>77</u>	<u>6</u>	<u>77</u>	<u>100</u>
7. CASING, LINER, CURBING AND SCREEN		10. TYPE OF DRILLING MACHINE USED			
Material, Weight, Specification & Method of Assembly		From (ft.)		To (ft.)	
Dia. (in.)		From (ft.)		To (ft.)	
<u>6 new black steel P.E. 18.97 A-53</u>		<u>Surface</u>		<u>77</u>	
<u>Valley Steel Pitless adaptor</u>					
8. GROUT OR OTHER SEALING MATERIAL		Kind		From (ft.)	To (ft.)
		<u>Clay</u>		<u>Surface</u>	<u>7</u>
		<u>Cement</u>		<u>7</u>	<u>77</u>
11. MISCELLANEOUS DATA		Well construction completed on <u>12-2-1976</u>			
Yield Test: <u>4</u> Hrs. at <u>5</u> GPM		Well is terminated <u>10</u> inches		<input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below	
Depth from surface to normal water level <u>60</u> Ft.		Well disinfected upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Depth of water level when pumping <u>68</u> Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Well sealed watertight upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Water sample sent to <u>Madison</u> laboratory on <u>12-13-1976</u>					

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature lo28  
Kenneth Coplan Registered Well Driller  
Complete Mail Address Boscobel, Wis. R3 Box 84 53805