

WELL LOG and REPORT

For method of making report, refer to bulletin entitled "Well Construction Report," 7-5-39. Accuracy is essential.

In this column indicate the kind of casing, liner, shoe and other accessories used.

WELL DIAGRAM
Use a red line to show casing or liner pipe. Use black for drill or borehole.

In this column state the kind of formations penetrated, their thickness in feet and if water bearing.

Record of
FINAL
Pumping test

	WELL DIAGRAM													Record of FINAL Pumping test								
	Inches Diameter													Depth	Duration of test	Hours						
	2	3	4	5	6	8	10	12	14	16		25	50	75	100	150	200	400	800	1200		
<i>Galv well casing</i>												25	<i>Loose Rock + Clay</i>		4 hrs							
												50	<i>54 ft</i>									
												75	<i>White Limestone Rock</i>									
												100										
												150										
												200	<i>Solid Sand Rock</i>									
												272 ft										
												400										
												800										

Draw the diagram to show the full diameter and right section of well only.

Duration of test
Hours *4 hrs*

Pumping rate
G.P.M. _____

Depth of pump in well. Ft. *265*

Standing water-level (from surface)
Ft. *35 ft*

Water-level when pumping Ft. _____

Water. End of test.
Clear *yes*
Cloudy _____
Turbid _____

Was the well sterilized?
Yes *yes* No _____

To which laboratory was sample sent?
Madison
Date _____

Was the well sealed on completion?
Yes *yes* No _____

How high did you leave the casing-pipe above grade?
1 1/2 ft

Well was completed
Date *Nov. 1947*

Well Constructor
Carl Williams
Signature