State of Wisconsin Department of Natural Resources Box 7921 Madison, Wisconsin 53707

White Copy Green Copy

Division's Copy Driller's Copy Owner's Copy

WELL CONSTRUCTOR'S REPORT Form 3300-15 Rev. 12-76

Yellow Copy CHECK (√) ONE: 1. COUNTY Town U Village City 3. NAME ¼ Section Range Section Township: 0 2. LOCATION ADDRESS Street Name Grid or Street No. POST OFFICE AND - If available subdivision name, lot & block No. Sanitary Bldg. Sewer Storm Bldg, Drain Building Sanitary Bldg. Drain Storm Bldg, Sewer Distance in feet from well onnected To: C.I. Sewer Other Sewer C.I. C.I. C.I. Other to nearest: (Record C.I. Other Other Other answer in appropriate block) Foundation Drain Connected to: Holding Sewage Absorption Unit Street Sewer Sewage Sump Clearwater Other Sewers Septic Sump Tank Tank Sewage Other Seepage Pit C.I. Sewer San. Storm Other Sump Seepage Bed 60 Clearwater Clearwater Seepage Trench Sump Earthen Silage Pet Animat Silo Glass Lined Silo Privy Pit: Nonconforming Existing Subsurface Pumproom Barn Animal With Pit Storage Facility Storage Trench Or Yard Waste Gutter Barn Nonconforming Existing Well Pít Pen Pit Pump Tank Solid Manure Storage Other (Give Description) Watertight Subsurface Waste Pond or Land Temporary Liquid Manure Disposal Unit Gasoline or Manure Tank Structure Stack Oil Tank (Specify Type) 9. FORMATIONS. 5. Well is intended to supply water for: To (ft.) From (ft.) Kind 46. DRILLHOLE To (ft.) Surface Dia. (in.) From (it.) To (ft.) From (ft.) Dia. (in.) 380 7. CASING, LINER, CURBING AND SCREEN Material, Weight, Specification & Method of Assembly From (ft.) To (ft.) Dia. (in.) hard shalost Surface 10. TYPE OF DRILLING MACHINE USED Rotary-hammer w/drilling 🗀 Cable Tool Jetting with mud & air 8. GROUT OR OTHER SEALING MATERIAL Rotary-hammer Rotary-air w/drilling mud Air To (ft.) Kind From (ft.) & air Water Rotary-w/drilling Surface Reverse Rotary mud a 10 Well construction completed on **MISCELLANEOUS DATA** above final grade Well is terminated inches below Yield Test: Yes 📖 0 Ft. Well disinfected upon completion Depth from surface to normal water level Depth of water level Stabilized Yes No Well sealed watertight upon completion Yes 📖 when pumping laboratory on Water sample sent to Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side. Loscobel, Wir, 53805 Complete Mail Address Signature

Registered Well Driller